

# SAFETY DATA SHEET (SDS) CCS LAVENDER DAMAR VARNISH

SECTION 1 – IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Identification

Name	CCS LAVENDER SPIKE OIL ESSENCE
Relevant identified uses of the substance or mixture	
Relevant identified uses	Oil painting medium
Details of manufacturer	
Company name	Chelsea Classical Studio LLC
Address	526 West 26th Street Suite #415 New York, NY 10001
Telephone	212-255-0206
Website	www.chelseaclassicalstudiofineartmaterials.com
Emergency phone number	1-800-424-9300 24 Hours Emergency Chemtrec Outside USA: 1-703-527-3887

SECTION 2 - HAZARD(S) IDENTIFICATION

FDA and FEMA list ingredients as GRAS- Generally Regarded as Safe  
 NTP, OSHA and IARC **DO NOT** list this product as carcinogenic to humans  
 Unused product **IS NOT** listed by EPA as hazardous waste (40 CFR part 26 IQ)  
 This product **IS NOT** listed on California’s Prop 65 Toxic Substance List  
 This product **DOES NOT** contain lead, cadmium, mercury, or hexavalent chromium since it is a citrus derived by-product produced by steam distillation. No effects or symptoms expected from chronic exposure

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Specific target organ toxicity – Single exposure, Category 2	H371
Aspiration hazard, Category 1	H304
Aquatic Acute, Category 2	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Label elements

Regulation (EC) No. 1272/2008 [CLP] labeling

Hazard pictograms (CLP)



	GHS02	GHS07	GHS08	GHS09
Signal word (CLP)	Danger			
Hazardous ingredients	LINALOOL; CAMPHOR GUM; CARYOPHYLLENE; delta-3-Carene; Eucalyptol; d-Limonene; alpha-Pinene; beta-Pinene			
Hazard statements (CLP)	H226- Flammable liquid and vapor H304- May be fatal if swallowed and enters airways H315- Causes skin irritation H317- May cause an allergic skin reaction H319- Causes eye damage/irritation H371- May cause damage to organs H400- Toxic to aquatic life H411- Very Toxic to aquatic life with long lasting effects			
Precautionary statements (CLP)	Full text of H-statements: see section 16 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking. P233- Keep container tightly closed P240- Ground/bond container and receiving equipment P241- Explosion-free electrical equipment and lighting with earth P264- Wash hands thoroughly after handling			

### SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product identifier	%	Regulation (EC) No. 1272/2008 [CLP]
Lavender Spike Oil Essence*	(CAS No) 8016-78-2	65-70%	Flam. Liq. 3, H226 Skin. Irrit 2, H315
Natural Damar Resin	(CAS No) 9000-16-2	25-30%	Skin Sens. 1B, H317 Eye Irrit. 2, H319 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

\*Lavender Spike Oil Essence's components include: LINALOOL (15-35%); Eucalyptol (5-15%); CAMPHOR GUM (5-15%); alpha-Pinene (1-3%); beta-Pinene (1-3%); d-Limonene (1-3%); TERPINEOL (1-3%); CARYOPHYLLENE (1-3%)

### SECTION 4 - FIRST AID MEASURES

Description of first aid measures	
First-aid measures general	Call a physician immediately.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Do not induce vomiting. Call a physician immediately.
Most important symptoms and effects, both acute and delayed	
Symptoms/injuries after skin contact.	Irritation. May cause an allergic skin reaction.
Symptoms/injuries after eye contact.	Eye irritation.
Indication of any immediate medical attention and special treatment needed	
Treat symptomatically.	

### SECTION 5 - FIREFIGHTING MEASURES

Extinguishing media	
Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.

Special hazards arising from the substance or mixture

Fire hazard	Flammable liquid and vapour.
Hazardous decomposition products in case of fire	Toxic fumes may be released.
Advice for firefighters	
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel

Emergency procedures  
Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe gas, fumes, vapour or spray. Avoid contact with skin and eyes.

For emergency responders

Protective equipment  
Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Environmental precautions

Avoid release to the environment.

Methods and material for containment and cleaning up

For containment  
Collect spillage.

Methods for cleaning up  
sewers  
Take up liquid spill into absorbent material. Notify authorities if product enters or public waters.

Other information

Dispose of materials or solid residues at an authorized site.

## SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling

Precautions for safe handling  
Keep away from sources of ignition – No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking. Provide good ventilation. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Technical measures

Ground/bond container and receiving equipment.

Storage conditions

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls  
Ensure good ventilation of the work station.

Eye protection  
Safety glasses suggested.

Skin Protection  
Protective gloves suggested.

Environmental exposure controls  
Avoid release to the environment.

Other information  
Do not eat, drink or smoke during use, keep away from eyes, do not ingest, KEEP OUT OF REACH OF CHILDREN.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state  
Liquid

Appearance  
Liquid

Molecular mass  
No data available

Colour  
Colorless to light yellow

Odour  
Characteristic odor

Odour threshold	No data available
pH	No data available
pH solution	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	No data available
Flash point	57°C 132.4°F
Auto-ignition temperature	>200°C 90°F
Decomposition temperature	No data available
Flammability (solid, gas)	Not applicable
Vapour pressure	No data available
Relative vapour density at 20 °C	0.88-0.93 g/cm3 (20°C)
Relative density	0.882
Solubility	Insoluble in water
Log Pow	No data available
Viscosity	< 20.5 mm2/s
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available

#### SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Flammable liquid and vapour.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
Conditions to avoid	Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
Incompatible materials	No additional information available
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### SECTION 11 - TOXICOLOGICAL INFORMATION

Information on toxicological effects	
Carcinogenicity	NOT classified as carcinogenic by NTP, IARC or OSHA.
Inhalation	No adverse effects due to inhalation are expected.
Skin corrosion/irritation	Can cause skin irritation and/or allergic reaction.
Serious eye damage/irritation	Causes serious eye irritation.
Ingestion	May be harmful if swallowed. Risk of lung oedema.
Aspiration	May be very harmful if swallowed and enters airways.
Acute toxicity	May be fatal if swallowed and enters airways.
Reproductive toxicity	No data available
Summated LD50	7572.1mg/kg.

#### SECTION 12 - ECOLOGICAL INFORMATION

Toxicity	
Ecology - general	Toxic to aquatic life with long lasting effects.
Ecology- water	Toxic to aquatic life.

#### SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods	
Waste treatment methods	Dispose in a safe manner in accordance with local/national regulations. Do not discharge into surface water.
Additional information	Handle empty containers with care because residual vapors are flammable.

## SECTION 14 - TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

Department of Transportation (DOT)	In accordance with DOT (49 CFR 172.101) NOT classified as hazardous materials or dangerous goods
Transport by sea	
UN-No. (IMDG)	1993
Proper Shipping Name (IMDG)	Flammable Liquid
Class (IMDG)	3-Flammable liquids
Packing group (IMDG)	III-substances presenting low danger
Environmental hazard (marine pollutant)	Yes
Air transport	
UN-No. (IATA)	1993
Proper Shipping Name (IATA)	Flammable Liquid
Class (IATA)	3-Flammable Liquids
Packing group (IATA)	III- Minor Danger
Environmental hazards	No
ADN	
UN-No. (IMDG)	1993
Proper Shipping Name (IMDG)	Flammable Liquid
Class (IMDG)	3-Flammable liquids
Packing group (IMDG)	III-substances presenting low danger
Environmental hazard	Yes
ADR	
UN-No. (IMDG)	1993
Proper Shipping Name (IMDG)	Flammable Liquid
Class (IMDG)	3-Flammable liquids
Packing group (IMDG)	III-substances presenting low danger
Environmental hazard	Yes
RID	
UN-No. (IMDG)	1993
Proper Shipping Name (IMDG)	Flammable Liquid
Class (IMDG)	3-Flammable liquids
Packing group (IMDG)	III-substances presenting low danger
Environmental hazard	Yes

## SECTION 15 - REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

National regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Germany

VwVwS Annex reference

Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen

TERPINEOL is listed

SZW-lijst van mutagene stoffen

TERPINEOL is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding

None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid

None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling

None of the components are listed

Denmark

Recommendations Danish Regulation

Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16 - OTHER INFORMATION

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Very Toxic to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purpose of health, safety and environmental requirements only. It should not therefore be constructed as guaranteeing any specific property of the product.

Disclaimer

Chelsea Classical Studio Fine Art Materials cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury,

damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.